

Pneumatic Hog Ring Tool

Type C1511

Description:

The C1511 hog ring tool takes KHF 1-1/2" series hog rings available in materials from galvanized to stainless. The relatively low air consumption allows for use with standard compressors. The tool is designed for long service life and easy maintenance through careful engineering. Benefits of using this tool can be seen immediately in less man hours on the job, lower occurrences of installer injuries and lower per connection prices.

Popular applications:

Gabion Baskets, Commercial Fence Installation, Large Bag Closure, Oil Absorption Socks, Crafts, Swings, Erosion Control, Construction



Length: 20.00 inches (508.00mm)

Height: 13.00 inches (330.20mm)

Width: 8.00 inches (203.20mm)

Technical Data	
Type description:	C1511 Pneumatic Model
Article code:	HRT030145
Magazine type:	Rear loading
Staple type:	11G Series
Magazine capacity:	120
Fasteners per strip:	3 x 40
Operating pressure:	95 psi (0.66 Nmm ²)
Max. operating pressure:	100 psi (0.69 Nmm ²)
Air consumption/operation:	5 cu. inch (0.14 cu. meter)
Inner hose diam. required:	3/8" (9.5mm) Ø recommended
Emission sound level at the workstation:	d = 82 dB
Weight:	14.65 lbs. (6.65 kg)
Extras supplied with the tool:	Operators manual, spare parts list, service instructions. For safety reasons we recommend that your operators read and understand all safety precautions prior to operating the tool.

Accessories:

Article code	Description
P040157	C1511-062XL Extended length magazine (build to order)
P030145	1-1/2" Hog Rings (available in variety of materials)
All KHF pneumatic tools can be jig-mounted. We supply the necessary accessories and equipments.	
	